



Data-Centric Tutorial, Topics and Demo

Bridging Non Real-Time & Real-Time


Gordon A. Hunt gordon@rti.com www.rti.com

Agenda

- Net-Centricity
 - Challenges and where we are....
- Implementing Net-Centricity
 - Approaches to implementing
- Applicable Standards
 - Data-Distribution Service
 - Data Storage and RDBMS
 - Service Oriented Architecture
- Concepts Demo / Q&A



Net-Centric Operations Challenge



More data...
from more sources...
at faster rates...
to more destinations..
via diverse systems...

Increase the Speed of Command



DoD Net-Centric Tenets

Data

A. DoD Net-Centric Data Strategy
B. Design Tenet: Make data visible
C. Design Tenet: Make data accessible
D. Design Tenet: Make data understandable
E. Design Tenet: Make data trustable
F. Design Tenet: Make data interoperable
G. Design Tenet: Provide Data Management
H. Design Tenet: Be Responsive to User Needs

Services

A. Design Tenet: Service-Oriented Architecture

B. Design Tenet: Open Architecture

C. Design Tenet: Scalability
D. Design Tenet: Availability

E. Design Tenet: Accommodate heterogeneity

F. Design Tenet: Decentralized operations and management

G. Design Tenet: Enterprise Service Management

Information Assurance/Security

A DoD Net-Centric IA Strategy

B. Design Tenet: Net Centric IA Posture and Continuity of Operations
C. Design Tenet: Identify Management, Authentication and Privileges

D. Design Tenet: Mediate Security Assertions
E. Design Tenet: Cross Security Domains Exchange

F. Design Tenet: Encryption and HAIPE

G. Design Tenet: Employment of Wireless Technologies

H. Other

Transport

A. Design Tenet: IPv6

B. Design Tenet: Packet Switched Infrastructure

C. Design Tenet: Layering, Modularity
D. Design Tenet: Transport Goal

E. Design Tenet: Network Connectivity

F. Design Tenet: The Concurrent Transport of information Flows
G. Design Tenet: Differentiated Management of Quality-of-Service

H. Design Tenet: Inter-Network Connectivity
I. Design Tenet: Joint Technical Architecture

J. Design Tenet: RF Acquisition

K. Design Tenet: Joint Net-Centric Capabilities

L. Design Tenet: Operations and Management of Transport and Services

Office of the Assistant Secretary of Defense for Networks and Information Integration/Department of Defense Chief Information Officer Net-Centric Checklist July 30, 2004 Version 2.1.4


DoD Net-Centric Tenets

Data **Data-Centric** Design Tenet: Provide Data Management Design Tenet: Be Responsive to User Needs **Service Oriented** Design Tenet: Availability Design Tenet: Accommodate heterogeneity **Open Architecture** Design Tenet. Net Centric IA Posture and Continuity of Operations Design Tenet: Identify Management, Authentication and Privileges Design Tenet: Mediate Security Assertions Design Tenet: Cross Security Domains Exchange Secured Design Tenet: IPv6 Design Tenet: Packet Switched Infrastructure Design Tenet: Lavering Modularity **End-to-End** Design Tenet: RF Acquisition

Design Tenet: Joint Net-Centric Capabilities

Design Tenet: Operations and Management of Transport and Services

K.



FORCEnet Technical Reference Guide

- Netcentric Operations/Warfare
- Service Orientated Architecture
 - Reusable services
 - Expose service functionality
 - Abstraction between interfaces and implementations
 - Standard metadata
 - Discovery
 - Standard Protocols
- Composeable platform independent pub/sub
- Distributed web services
- Extensible markup language
- Data-oriented systems
- Real-time systems support
- Human systems integration
- Information Assurance

FORCEnet Technical Reference Guide For Program Managers



Office of the FORCEnet Chief Engineer SPAWAR 05



Statement D: Distribution authorized to the Department of Defense and U.S. DOD contractors only (Operational Use) 5 May 2005. Other requests shall be referred to the Space and Naval Warfare Systems Command Office of Public Affairs and Congressional Lialson or to SPAWAR Code 05. This document is EXEMPT FROM MANDATORY DISCLOSURE under 5 USC SS2 (DUS).

FORCEnet Technical Reference Guide

Netcentric Operations/Warfare

Data-Centric

Expose service functionality

Service Oriented

Discovery


Open Architecture

Distributed web services

Secured

- Keai-time systems support
- Human evetame integration

End-to-End





Infantry Communications for the Ground Warrior


First Lieutenant Christopher S. Tsirlis
Communications Officer USMC





TODAY'S GROUND WARRIOR

ASYMMETRIC THREAT





MANY DIFFERENT ASSETS



SINGARS



PRC-117/150



THURAYA





TA-1042



IRAQI CELL



PSC - 5





EPLRS



STATES MARINER CORPS

SOME MORE



TDN SERVERS



PRC-148



PRC 119F



LAPTOPS



BLUE FORCE TRACER



PRR RADIO



ASTRO 5000




TODAYS GROUND WARRIOR

DATA FOR THE INFANTRY





Is it Enough? Where are we Going?







Net-Centricity

How do we get there? How do we implement it?

Net-Centricity and Programming Paradigms

- Procedural Programming
 - ADA, C, C++, Fortran, ...
- Object Orientated Programming
 - Objects, Abstraction, Encapsulation, Polymorphism,
 Inheritance
- Component Orientated Programming
 - (Dynamic) Semantic Markup, Component Independent Content, Service Interface Encapsulation
- Message Orientated Programming
 - Messages as first class objects
- Data Orientated Programming



Data Orientated Programming

- Tenants of Data Orientated Programming
 - Expose the data
 - Hide the code
 - Separate data and code
 - Data-handling and data-processing
 - Code generated from Interfaces
 - Loosely coupled



Data-Oriented = Data-Centric

Data-Centric = Net-Centric




Object-Orientated vs. Data-Orientated

ООР	DOP
Hide the data (encapsulation)	Expose the data (with MR format)
Expose methods – code	Hide the code
Intermix data & code	Separate data & code
Mobile code	Must agree on data mapping, mapping system
API / object model	Messages are primary Data model or schema
Combined processing, no restrictions	Strict separation of parser, validator, transformer, and logic
Changes:	Changes:
Read & change code	Change declarative data file
Tightly coupled	Loosely Coupled



E-2 Software Component Architecture

- Hawkeye has functionally oriented software modules
- Each module talks to just about every other module
- Adding new functionality drives integration re-work to just about every other module
- Grouping the modules into functional clusters does nothing to change that reality and ease software integration



• Changing the communication between the modules can ease integration, when the new 'Publish Subscribe' approach is used – each module publishes its output w/o regard to who is receiving it, in contrast to the point-to-point approach of traditional communication


It's about an architecture that can assimilate evolving functionality, rather than remaining set in time



Standards-Based NetCentricity

Data Distribution
Data Management
Data Access


Standards-Based Architecture



COTS products implementing a standards-based high-performance distributed data-management solution



Data-Distribution and Real-Time




Middleware Information Models



Point-to-Point


Telephone, TCP Simple, high-bandwidth Leads to stove-pipe systems



Client-Server


File systems, Database, RPC, CORBA, DCOM Good if information is naturally centralized Single point failure, performance bottlenecks

Data Centric Models



Publish/Subscribe Messaging

Magazines, Newspaper, TV Excels at many-to-many communication Excels at distributing time-critical information




Replicated Data

Libraries, Distributed databases Excels at data-mining and analysis

Publish-Subscribe Model

• Efficient mechanism for data communications



Consumers



Data Distribution Service (DDS) Standard



- Data Distribution Service for Real-Time Systems
 - Adopted in June 2003
 - Revised in April 2005
 - API specification for Data-Centric Publish-Subscribe communication for distributed real-time systems.
 - http://www.omg.org/docs/ptc/05-03-09.pdf


RTI's role

- Member of OMG since 2000
- Co-authors of the original DDS RFP
- Co-authors of the DDS specification adopted in June 2003
- Chair of the DDS Finalization and Revision Task Forces
- Providers of a COTS implementation of the specification



DDS – Loosely Coupled Architecture


- Data-centric communications
 - Just declare your intent to publish or receive data.
 - No need to make a special request for every piece of data.





DDS – Quality of Service

- Data distribution with minimal overhead
 - No reply confirmation needed
 - Very flexible QoS on a per-data-stream basis
 - Determinism vs. reliability
 - Cyclic ←→ acyclic messages
 - Bandwidth control
 - Fault tolerance (esp. over unreliable media)






DDS – Advantages

Decoupling

- Location: reduce dependencies
- Redundancy: multiple readers & writers
- Time: data when you want it
- Platform: connect any set of systems

Benefits

- Modular structure
- Flexibility
- Power





QoS Contract "Request / Offered"

QoS:Latency_Budget QoS:Durability Ensure that the QoS:Ownership QoS:Presentation compatible QoS QoS:Liveliness QoS:Deadline parameters are set. QoS:Reliability **Topic Topic** OoS not compatible Requested Offered Data Data Writer Reader QoS QoS **Publisher Subscriber** Domain **Domain Participant Participant** Communication not established

Global Data Space

QoS: Quality of Service

Volatility

Infrastructure

Delivery

QoS Policy	QoS Policy
DURABILITY	USER DATA
HISTORY	TOPIC DATA
READER DATA LIFECYCLE	GROUP DATA
WRITER DATA LIFECYCLE	PARTITION
LIFESPAN	PRESENTATION
ENTITY FACTORY	DESTINATION ORDER
RESOURCE LIMITS	OWNERSHIP
RELIABILITY	OWNERSHIP STRENGTH
TIME BASED FILTER	LIVELINESS
DEADLINE	LATENCY BUDGET
CONTENT FILTERS	TRANSPORT PRIORITY




User QoS

Presentation

Redundancy

Transport


Standards-Based Architecture



COTS products implementing a standards-based high-performance distributed data-management solution




Data Monitoring in an Ever-Changing Environment




How can we manage the rapidly increasing amount of real-time information in net-centric systems?

How do we make information available where and when it is needed?

Centralized Database



The Network is the Database




Applications view distributed data as if it resides in a centralized database




Today: Different Data Solutions

- Database Management Systems
 - Non-RT performance, non-distributed
 - Complex queries, dynamic sorting, standard SQL I/F, enterprise solution
- Data Distribution Services
 - High performance, dynamic architectures, real-time solution
 - What do you do with the data once you get it there?



A Standards Based Global Data Space


- Data accessible to all interested applications:
 - Data distribution (publishers and subscribers): DDS
 - Data management (storage, retrieval, queries): SQL
 - Rich QoS, automatic discovery and configuration
 - Real-time and/or high-performance access to data






Distributed Data Management

- Embedded-to-Enterprise Connectivity
 - From tiny micro-devices...
 - To enterprise databases
- Flexible DDS networking
 - Automatic peer discovery
 - Full QoS control
 - Fault tolerant
- Distributed database caching
 - Automatic process-data collocation
 - 10 usec data access
 - High-availability of multiple copies
- Standards-based COTS





End-to-End Integration



Concepts DEMO

- Distributed C2
 - RT Pub/Sub
 - Web-based logistics
- Cached to RDBMS
 - Dynamic and automatic
 - Sync'd with data-model
- PDA inputs
 - Shooter
 - Targeter
 - Select Team









Thank You!

For more information:

info@rti.com

gordon@rti.com

www.rti.com

You can also find more information at our booth, and more in depth demos, and presentations.